

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----


UNIDAD EXTERIOR
UNITE EXTERIEUR
OUTDOOR UNIT
AUSSENGERÄT

OPCIONALES / OPTION / OPTIONAL

A - FREECOOLING TERMICO
FREECOOLING THERMIQUE
THERMAL FREECOOLING
THERMISCHES FREE-COOLING
B - FREECOOLING ENTALPICO
FREECOOLING ENTHALPIQUE
ENTHALPY FREECOOLING
ENTHALPISCHES FREE-COOLING
D - SENSOR CALIDAD AIRE AMBIENTE
SONDE QUALITÉ AIR AMBIANCE
AIR QUALITY SENSOR FOR AMBIENT
FÜHLER RAUMLUFTQUALITÄT
E - MANDO COMPATIDO REMOTO
COMMANDE PARTAGÉ LOCAL
REMOTE SHARE CONTROL
FERNBEDIENUNG
F1- MANDO PRIVADO LOCAL
COMMANDE PRIVÉ LOCAL
LOCAL PRIVATE CONTROL
LOKALE EINZELGERÄTSTEUERUNG
F2- TERMINAL DE USUARIO TCO
TERMINAL D'UTILISATEUR TCO
TCO USER TERMINAL
TCO-RAUMENDGERÄT
I - TARJETA SERIAL RS485
CARTE SERIAL RS485
RS485 SERIAL
SERIELLE PLATINE RS485
J1- Sonda TEMP. DE AMBIENTE RS485
SONDE TEMP. D'AMBIANCE RS485
AMBIENT TEMP. SENSOR RS485
TEMPERATURFÜHLER RAUMLUFT RS485
J2- Sonda TEMP. DE AMBIENTE NTC
SONDE TEMP. D'AMBIANCE NTC
AMBIENT TEMP. SENSOR NTC
TEMPERATURFÜHLER RAUMLUFT NTC


K - Sonda T+H DE AMBIENTE
SONDE T+H D'AMBIANCE
AMBIENT T+H SENSOR
TEMPERATUR- UND FEUCHTIGKEITSFÜHLER RAUMLUFT
M - VENTILADOR RETORNO CENTRIFUGO
VENTILATEUR DE REPRISE CENTRIFUGE
RETURN CENTRIFUGAL FAN
RÜCKLUFTRADIALVENTILATOR
N - RESISTENCIAS ELECTRICAS
BATTERIES ELECTRIQUES
ELECTRIC COIL
ELEKTRISCHES HEIZREGISTER
O - BATERIA AGUA CALIENTE
BATTERIE EAU CHAUDE
HOT WATER COIL
WARMWASSERREGISTER
Q - CONTROL CAUDAL DE AIRE
CONTROLE DEBIT D'AIR
AIR FLOW CONTROL
LUFTMENGENREGELUNG
R - DETECTOR FILTRO SUCIO
ENCRASSEMENT FILTRES
FILTER CLOGGING
MELDER FILTERZUSETZUNG
S - DETECTOR DE HUMOS
DETECTION DE FUMÉES
SMOKE DETECTION
RAUCHMELDER
V - ARRANCADOR PROGRESIVO
DEMARREUR PROGRESSIF
PROGRESIVE STARTER
SOFTSTARTER
W - MEDIDOR DE POTENCIA
COMPTEUR D'ÉNERGIE
POWER METER
STROMZÄHLER

X1- VENTILADOR INTERIOR CENTRIFUGO
VENTILATEUR INTERNAL CENTRIFUGE
INTERNAL CENTRIFUGAL CENTRIFUGAL
INTERNER CENTRIFUGALVENTILATOR
X2- VENTILADOR INTERIOR IMP RADIAL
VENTILATEUR INTERNAL RADIAL
INTERNAL CENTRIFUGAL RADIAL
INTERNER RADIALVENTILATOR
AA- ALIMENTACION CON NEUTRO
ALIMENTATION AVEC NEUTRE
POWER SUPPLY WITH NEUTRAL
STROMVERSORGUNG MIT NEUTRALLEITER
AB- ALIMENTACION SIN NEUTRO
ALIMENTATION SANS NEUTRE
POWER SUPPLY WITHOUT NEUTRAL
STROMVERSORGUNG OHNE NEUTRALLEITER
AC- VENTILADOR EXTERIOR ELECTRONICO
VENTILATEUR EXTERIEUR ELECTRONIQUES
ELECTRONIC OUTDOOR FAN
EXTERNER ELEKTRONISCHER VENTILATOR
AF- RELE DE CONTROL DE FASES ALTA GAMA
RELAIS CONTRÔLE PHASES HAUTE GAMME
HIGH RANGE PHASE CONTROL RELAY
PHASENRELAIS HOHE REICHWEITE
AG- Sonda HUMEDAD EXTERIOR AMBIENTE INDUSTRIAL
SONDE HUMIDITE EXTERIEURE ENVIRONNEMENT INDUSTRIEL
EXTERNAL HUMIDITY INDUSTRIAL ENVIRONMENT SENSOR
LUFTFEUCHTIGKEIT AUSSENLUFT FÜHLER
A1- Sonda EXTERIOR T+H COMBINADA
SONDE EXTERIEUR T+H COMBINEE
COMBINED EXTERNAL AIR T+H SENSOR
KOMBINIERT T+H AUSSEN

MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: DATE:		23/05/2018	SERIE : ISC		MODELO: MODELE:		0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.			2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS		
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -				V° B°				NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIDALE. REGULATION CIATr+c			PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01		SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-				NF:	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL			1/24	400/3/50	



INTERCONEXION CUADROS ELECTRICOS
ARMOIRE ELECTRIQUE RACCORDEMENTS
ELECTRIC PANEL INTERCONEXION
ZUSAMMENSCHALTUNG VON ELEKTRISCHEN SCHALTТАFELN



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
CONEXIONES FABRICA RACCORDMENTS USINE FACTORY CONNECTION WERKSEITIGER ANSCHLUSS						CONEXIONES CLIENTE RACCORDMENTS CLIENT CONNECTED BY CUSTOMER BAUSEITIGER ANSCHLUSS						CONEXIONES FABRICA RACCORDMENTS USINE FACTORY CONNECTION WERKSEITIGER ANSCHLUSS						CONEXIONES CLIENTE RACCORDMENTS CLIENT CONNECTED BY CUSTOMER BAUSEITIGER ANSCHLUSS											
LINEA/LIGNE/PHASE 230 V.... NEUTRO/NEUTRE/NEUTRAL 230 V OPTION O — LINEA/LIGNE/PHASE 24 V.... NEUTRO/NEUTRE/NEUTRAL 24 V. OPTION S { DETECTOR DE HUMO DETECTEUR DE FUMÉES.... SMOKE DETECTOR RAUCHMELDER KLD1-PB1..... KLD2-PB2..... OPTION O { VALVULA AGUA CALIENTE VANNE EAU CHAUDE..... HOT WATER VALVE WARMWASSERVENTIL						1	MANDO ON/OFF REMOTO COMMANDE ON/OFF A DISTANCE CONTROL ON/OFF REMOTE EIN-/AUSSCHALTUNG PER FERNBEDIENUNG																						
						2																							
						3	CONTACTO FALLO GENERAL CONTACT DEFAULT GENERAL FAULT GENERAL CONTACT KONTAKT ALLGEMEINE STÖRUNG																						
						4																							
						5	MANDO FRIO/CALOR COMMANDE FROID/CHAUD CONTROL COOLING/HEATING STEUERUNG KÜHL-/HEIZBETRIEB					CONFIG_COS3 CERRADO__FROID FERME____FROID CLOSED____COOLING GESCHLOSSEN____KÜHL																	
						6																							
						7																							
						8																							
						9																							
						10																							
						11																							
						12																							
						13																							
						14																							
						15	CONEXION SONDA TEMP. RETORNO RACCORDMENT SONDE TEMP. REPRIS CONNECTION RETURN TEMP. SENSOR ANSCHLUSS TEMPERATURFÜHLER RÜCKLUFT																						
						16																							
						19	CONEXION BOMBA AGUA CALIENTE RACCORDMENT POMPE EAU PUMP CONNECTION HOT WATER VALVE ANSCHLUSS WARMWASSERVENTIL					OPTION O																	
						20																							
						21																							
						22	CONEXION SONDA CO2 Y/O VOC RACCORDMENT SONDE CO2 Y/O VOC CONNECTION SENSOR CO2 Y/O VOC ANSCHLUSS CO2- UND/ODER VOC-FÜHLER					OPTION D																	
						23																							
						24	CONEXION SONDA TEMP. DE AMBIENTE NTC RACCORDMENT SONDE TEMP. D'AMBIANCE NTC CONNECTION AMBIENT TEMP. SENSOR NTC ANSCHLUSS RAUMTEMPERATURFÜHLER NTC					OPTION J2																	
						25																							
						27	CONEXION SONDA HUMEDAD EXTERIOR RACCORDMENT SONDE HUMIDITE EXTERIEURE CONNECTION EXTERNAL HUMIDITY SENSOR ANSCHLUSS LUFTFEUCHTIGKEITSFÜHLER AUSSENLUFT					OPTION B+K OPTION AG OPTION AI																	
						30	CONEXION SONDA TEMP. IMPULSION RACCORDMENT SONDE TEMP. SOUFFLAGE CONNECTION DISCHARGE TEMP. SENSOR ANSCHLUSS TEMPERATURFÜHLER ABLUFT																						
						31																							
						32	CONEXION SERVOMOTOR RACCORDMENT SERVOMOTEUR CONNECTION SERVOENGINE ANSCHLUSS SERVOMOTOR					OPTION A-B																	
						33																							
						34																							
						35	DETECTOR FILTRO SUCIO ENCRASSEMENT FILTRES FILTER CLOGGING MELDER FILTERZUSETZUNG					OPTION R																	
						36																							
						25	CONEXION SONDA T MEZCLA RACCORDMENT SONDE T MELANGE CONNECTION EXTERNAL T MIXING ANSCHLUSS TEMPERATURFÜHLER MISCHLUFT					OPTION A-B																	
						37																							
						38	CONTROL CAUDAL DE AIRE CONTROLE DEBIT D'AIR AIR FLOW CONTROL LUFTMENGENREGELUNG					OPTION Q																	
						39																							
						41	SEÑAL RELE TERMICO VENTILADOR RETORNO 1 Y 2 SIGNAL RELAIS THERMIQUE VENTILATEUR RETOUR 1 ET 2 RETURN FAN THERMAL RELAY 1 AND 2 SIGNAL RÜCKLUFTVENTILATOR THERMORELAIS SIGNAL 1 UND 2					OPTION M																	
						42																							
						43RX/TX-																						
						44RX/TX+					OPTION JI o B+K OPTION JI ou B+K OPTION JI or B+K																	
						45GND																						
						46+VDC																						
						47GND																						
						48	CONEXIONES TERMOSTATO mAT RACCORDMENT THERMOSTAT mAT CONNECTION THERMOSTAT mAT ANSCHLUSS THERMOSTAT mAT					OPTION F2																	
						49																							
						50GND																						
						51RX/TX+																						
						52RX/TX-																						

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

CONEXIONES FABRICA
RACCORDEMENTS USINE
FACTORY CONNECTION
WERKSEITIGER ANSCHLUSS

CONEXIONES CLIENTE
RACCORDEMENTS CLIENT
CONNECTED BY CUSTOMER
BAUSEITIGER ANSCHLUSS

53 } ON/OFF RESISTENCIAS ELECTRICAS
54 } ...ON/OFF BATTERIES ELECTRIQUES
54 } ON/OFF ELECTRIC COIL
55 } SEGURIDADES RESISTENCIAS ELECTRICAS
56 } ...SECURITE BATTERIES ELECTRIQUES
56 } EELCTRIC COIL SAFETY


OPTION AB {
OPTION M {
ACT. VENT. INTERIOR
ACT. VENT. INTERIEUR... 59
ACT. INDOOR FAN
ACT. VENT. RETORNO
ACT. VENT. RETOUR..... 60
ACT. RETURN FAN I

OPTION X2 {
VENTILADOR INTERIOR
VENTILATEUR INTERIEURE
INTERNAL FAN
INTERNE VENTILATOR
61 } INTERCONEXION COMUNICACION VENTILADOR INTERIOR
62 } ...INTERCONNEXION COMMUNICATION VENTILATEUR INTERNAL
62 } INTERCONNENTION COMMUNICATION INTERNAL FAN
63 } ON/OFF VENTILADOR INTERIOR
67 } ...ON/OFF VENTILATEUR INTERIEURE
67 } ON/OFF INTERNAL FAN
65 } PROTECCIONES VENTILADOR INTERIOR
66 } PROTECTIONS VENTILATEUR INTERIEURE
66 } PROTECTIONS INTERNAL FAN
68 } ...ON/OFF

OPTION A1 {
AIRE EXTERIOR T+H COMBINADA
AIR EXTERIEUR T+H COMBINEE
COMBINED EXTERNAL AIR T+H
75
76

OPTION AC {
VENTILADOR EXTERIOR I
VENTILATEUR EXTERIEURE 0-10 PWM.
EXTERNAL FAN
EXTERNE VENTILATOR
GND... 83
84
PROTECCIONES/PROTECTIONS { NO.. 86
SCHUTZVORRICHTUNGEN... { NC.. 87

TI } CONEXION TERMISTORES DE SEGURIDAD
SI } RACCORDEMENT THERMOSTAT DE SECURITE
CONNECTION SECURITY THERMISTOR
SICHERHEIT THERMISTORANSCHLUSS } OPTION N


MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: DATE:		23/05/2018	SERIE : ISC		MODELO: MODELE:		0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.		2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS		
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -				Vº Bº				NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c		PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-		NF:			AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL		4/24	400/3/50		



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
INTERCONEXION CUADROS ELECTRICOS POR EL CLIENTE / ARMOIRE ELECTRIQUE RACCORDEMENTS PAR CLIENT ELECTRIC PANEL INTERCONEXION BY CUSTOMER / ZUSAMMENSCHALTUNG VON ELEKTRISCHEN SCHALTТАFELN																													
UNIDAD EXTERIOR UNITE EXTERIEURE OUTDOOR UNIT AUSSENGERÄT										UNIDAD INTERIOR UNITE NTERIEURE INDOOR UNIT INNENGERÄT										CAJON MEZCLA CAISSON MELANGE MIXING BOX MISCHKASTEN					CAJON RETORNO CAISSON REPRIS RETURN BOX RÜCKFÜHREINHEIT				
<div><div><div><div><div><div>1d</div><div>3d</div><div>5d</div></div><div><div>2</div><div>4</div><div>6</div></div></div><div>KVi</div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div>K</div><div>V</div><div>I</div></div></div><div>OPTION X1</div></div><div><div><div><div><div>1</div><div>3</div><div>5</div></div><div><div>2</div><div>4</div><div>6</div></div></div><div>FGVi</div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div>K</div><div>V</div><div>I</div></div></div><div>OPTION X2</div></div><div><div><div><div><div>1</div><div>3</div><div>5</div></div><div><div>2</div><div>4</div><div>6</div></div></div><div>KRA1</div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div>K1</div><div>R1</div><div>A1</div></div></div><div>OPTION N</div><div><div><div><div><div>1</div><div>3</div><div>5</div></div><div><div>2</div><div>4</div><div>6</div></div></div><div>KRA2</div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div>K2</div><div>R2</div><div>A2</div></div></div><div><div><div><div><div>T</div><div>S</div></div><div><div></div><div></div></div></div><div><div></div><div></div></div></div><div><div>T</div><div>S</div></div></div><div><div><div><div><div>1d</div><div>3d</div><div>5d</div></div><div><div>2</div><div>4</div><div>6</div></div></div><div>KVR</div><div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div><div><div>K</div><div>V</div><div>R</div></div></div><div>OPTION M</div></div></div><div>CONEXION TERMISTORES DE SEGURIDAD RACCORDEMENT THERMOSTAT DE SÉCURITÉ CONNECTION SECURITY THERMISTOR SICHERHEIT THERMISTORANSCHLUSS</div></div></div>																													
MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.		FECHA: DATE: DATE:		23/05/2018		SERIE :		ISC		MODELO: MODELE:		0200/0240 0320		BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.								2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS					
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA						Vº Bº				NP :		06C0200C3-02		POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c								PAGINA PAGE		TENSION VOLTAGE			
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01		SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-						NF :		-		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL								5/24		400/3/50			


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
INTERCONEXION CUADROS ELECTRICOS POR EL CLIENTE / ARMOIRE ELECTRIQUE RACCORDEMENTS PAR CLIENT ELECTRIC PANEL INTERCONEXION BY CUSTOMER / ZUSAMMENSCHALTUNG VON ELEKTRISCHEN SCHALTТАFELN																													
UNIDAD EXTERIOR UNITE EXTERIEURE OUTDOOR UNIT AUSSENGERÄT										UNIDAD INTERIOR UNITE NTERIEURE INDOOR UNIT INNENGERÄT										CAJON MEZCLA CAISSON MELANGE MIXING BOX MISCHKASTEN					CAJON RETORNO CAISSON REPRIS RETURN BOX RÜCKFÜHREINHEIT				
(CONEXION EN OBRA)																													
OPTION S — LINEA/LIGNE/PHASE 230 V.... NEUTRO/NEUTRE/NEUTRAL 230V...										OPTION S																			
OPTION O { LINEA/LIGNE/PHASE 24 V.... NEUTRO/NEUTRE/NEUTRAL 24V..										OPTION O																			
OPTION S { DETECTOR DE HUMO DETECTEUR DE FUMÉES.... SMOKE DETECTOR RAUCHMELDER										OPTION S																			
CONEXION SONDA TEMP. RETORNO RACCORDEMENT SONDE TEMP. REPRIS CONNECTION RETURN TEMP. SENSOR ANSCHLUSS TEMPERATURFÜHLER RÜCKLUFT																				15					16				
OPTION O { VALVULA AGUA CALIENTE VANNE EAU CHAUDE..... HOT WATER VALVE WARMWASSERVENTIL										OPTION O																			
CONEXION SONDA TEMP. IMPULSION RACCORDEMENT SONDE TEMP. SOUFFLAGE CONNECTION DISCHARGE TEMP. SENSOR ANSCHLUSS TEMPERATURFÜHLER ABLUFT										S7																			
OPTION A-B { CONEXION SERVOMOTOR RACCORDEMENT SERVOMOTEUR CONNECTION SERVOENGINE ANSCHLUSS SERVOMOTOR																				32					33				
																				34					OPTION A-B				
OPTION R { DETECTOR FILTRO SUCIO ENCRASSEMENT FILTRES FILTER CLOGGING MELDER FILTERZUSETZUNG										PF P233A										OPTION R									
OPTION A-B { CONEXION SONDA T MEZCLA RACCORDEMENT SONDE T MELANGE CONNECTION EXTERNAL T MIXING ANSCHLUSS TEMPERATURFÜHLER MISCHLUFT																				25					37				
OPTION O/N { CONTROL CAUDAL DE AIRE CONTROLE DEBIT D'AIR AIR FLOW CONTROL LUFTMENGENREGELUNG										PC P233A										OPTION O/N									
OPTION M { SEÑAL RELE TERMICO VENTILADOR RETORNO SIGNAL RELAIS THERMIQUE VENTILATEUR RETOUR RETURN FAN THERMAL RELAY SIGNAL RÜCKLUFTVENTILATOR THERMORELAIS SIGNAL																				41					42				
OPTION F2 { CONEXIONES TERMOSTATO mAT RACCORDEMENT THERMOSTAT mAT CONNECTION THERMOSTAT mAT ANSCHLUSS THERMOSTAT mAT																				48					49				
																				</									

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----





CONEXION DE LA ALIMENTACION EN EL INTERRUPTOR GENERAL

* RACCORDER L'ALIMENTATION SUR L'INTERRUPTEUR SECTIONNEUR GENERAL
CONNECTING SUPPLY IN MAIN SWITCH ISOLATOR
ANSCHLUSS DES NETZTEILS AN DER HAUPTSCHALTER

MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			V° B°		NP : 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-	NF :		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	8/24	400/3/50	


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE :	ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			V° B°		NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-			NF:		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	9/24	400/3/50




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			Vº Bº		NP : 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-	NF :		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	10/24	400/3/50	




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			Vº Bº		NP : 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-	NF :		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	11/24	400/3/50	




1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----



MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: DATE:		23/05/2018	SERIE : ISC		MODELO: MODELE:		0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.		2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS		
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -				V° B°				NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c.		PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-		NF:			-		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL		12/24	400/3/50



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----



* Al instalar la señal del rele térmico interior eliminar el puente entre clema 65 y 66 (con opc. M clema 41 y 42)
 A l'installation relais du signal thermique intérieur enlever le pont entre borne 65 et 66 (avec opt. M borne 41 et 42)
 Take off the shunt between terminal internal 65 and 66 (with opt. M shunt 41 and 42) when thermal relay signal is installed
 Nehmen Sie den Shunt zwischen Terminal intern 65 und 66 (mit Option M Shunt, 41 und 42) Wenn Thermostatsignal installiert ist

TA :	TERMOSTATO ANTIHIELO	THERMOSTAT ANTIGEL	ANTI FROST THERMOSTAT	FROSTSCHUTZTHERMOSTAT
DH :	DETECTOR DE HUMOS	DETECTEUR DE FUMÉES	SMOKE DETECTOR	RAUCHMELDER
PF :	PRESOSTATO FILTRO	PRESSOSTAT FILTRE ENCRASSÉ	FILTER CLOGGING PRESSOSTAT	DRUCKFÜHLER FILTERZUSATZUNG
PC :	PRESOSTATO CAUDAL DE AIRE	PRESSOSTAT DEBIT D'AIR	AIR FLOW PRESSOSTAT	DRUCKFÜHLER LUFTVOLUMENSTROM


SONDAS / SONDES / SENSORS / FÜHLER

S1	AIRE RETORNO	AIR DE REPRIS	RETURN AIR	RÜCKLUFTFÜHLER
S2	AIRE EXTERIOR	AIR EXTERIEUR	EXTERNAL AIR	AUßENFÜHLER
S6	HUMEDAD RELATIVA EXT (OP.B+K)	HUMIDITE RELATIVE EXT (OP.B+K)	EXT RELATIVE HUMIDITY (OP.B+K)	RELATIVE LUFTFEUCHTIGKEIT AUSSENLUFT (OP.B+K)
S7	AIRE IMPULSION	AIR DE SOUFFLAGE	DISCHARGE AIR	ABLUF
S8	AIRE DE MEZCLA (OPC. A-B)	AIR DE MÉLANGE (OPT. A-B)	AIR MIXING (OPT. A-B)	MISCHLUFT (OPT. A-B)
S9	AIRE TEMP. AMBIENTE NTC (OPC.J2)	AIR TEMP. D'AMBIANCE NTC (OPT.J2)	AMBIENT TEMP.AIR NTC (OPT.J2)	RAUMLUFTTEMPERATUR NTC (OPT. J2)
S10	AIRE TEMP. AMBIENTE RS485 (OPC.J1)	AIR TEMP. D'AMBIANCE RS485 (OP.J1)	AMBIENT TEMP.AIR RS485 (OP.J1)	RAUMLUFTTEMPERATUR RS485 (OPC. J1)
S12	AIRE AMBIENTE T+H RS485 (OP.B+K)	AIR D'AMBIANCE T+H RS485 (OP.B+K)	AMBIENT AIR T+H RS485 (OP.B+K)	RAUMLUFTTEMPERATUR UND -FEUCHTIGKEIT RS485 (OP.B+K)
S13	CALIDAD DE AIRE (OPCION D)	QUALITÉ D'AIR (OPTION D)	AIR QUALITY (OPTION D)	LUFTQUALITÄT (OPTION D)
S15	AIRE EXTERIOR T+H COMBINADA (OP.A1)	AIR EXTERIEUR T+H COMBINEE (OP.A1)	COMBINED EXTERNAL AIR T+H (OP.A1)	KOMBINIERTE SONDE LUFT AUSSENTEMPERATUR + FEUCHTIGKEIT (OP.A1)

MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE :	ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA. UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA	V° B°				NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICOIDALE. REGULATION CIATr+c	PAGINA PAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-			NF:	-	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	14/24
									TENSION VOLTAGE
									400/3/50






1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----




MODICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE :	ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA. UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA	V° B°				NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-			NF:	-	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	15/24
									TENSION VOLTAGE
									400/3/50







MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: 23/05/2018 DATE:		SERIE : ISC		MODELO: 0200/0240 MODELE: 0320		BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.		2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -			Vº Bº			NP: 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c		PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01		SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-		NF:	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL		16/24	400/3/50

OPTION D




OPTION D




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: DATE:		23/05/2018	SERIE : ISC		MODELO: MODELE:		0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.			2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS		
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -				Vº Bº				NP :	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c			PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01		SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-				NF :	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL			17/24	400/3/50	


OPTION JI




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATrte.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			Vº Bº		NP: 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATrte	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-	NF:		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATrte CONTROL	18/24	400/3/50	

OPTION B + K




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: DATE:		23/05/2018	SERIE : ISC		MODELO: 0200/0240 MODELE: 0320		BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.			2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS			
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -				V° B°		NP : 06C0200C3-02		POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c			PAGINA PAGE		TENSION VOLTAGE	
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-			NF :		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL			19/24		400/3/50	


OPCION E / OPTION E




MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: 0200/0240 MODELE: 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA. UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA	Vº Bº			NP: 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIDALE. REGULATION CIATr+c	PAGINA PAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-		NF:	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	20/24
							TENSION VOLTAGE
							400/3/50

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----



MODICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			Vº Bº		NP: 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACE PAR: TAKE BY:	-	NF:		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	21/24	400/3/50	





MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: 0200/0240 MODELE: 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA. UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.	2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS
MODIFICATION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -	V° B°			NP: 06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-		NF:	AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	TENSION VOLTAGE
							22/24
							400/3/50

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----


IMPLANTACION DE PLETINA
IMPLANTATION DE PLATINE
ELECTRICAL PANEL LOCATION
POSITION DER SCHALTТАFEL


OPTION X1




C1 = 730 mm
C2 = 520 mm
C3 = 530 mm
C5 = 275 mm
C6 = 430 mm


OPTION X2



MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:	S.R.J.	FECHA: DATE: DATE:	23/05/2018	SERIE : ISC	MODELO: MODELE:	0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.		2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:	SONDA EXTERIOR T+H COMBINADA -			vº Bº		NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c	PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:	06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:	-			NF:		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL	23/24	400/3/50

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----



MODIFICADO POR: MODIFIÉ PAR: MODIFIED BY:		S.R.J.	FECHA: DATE: DATE:		23/05/2018	SERIE : ISC		MODELO: MODELE:		0200/0240 0320	BOMBA DE CALOR AIRE-AIRE PARTIDA.UNIDAD EXTERIOR VENTILADOR EXTERIOR HELICOIDAL REGULACION CIATr+c.		2 COMPRESORES/2 CIRCUITOS 2 COMPRESSEURS/2 CIRCUITS 2 COMPRESSORS/2 CIRCUITS	
MODIFICACION: MODIFICATION:		SONDA EXTERIOR T+H COMBINADA -				Vº Bº			NP:	06C0200C3-02	POMPE A CHALEUR AIR-AIR TYPE SPLIT-SYSTEM. UNITE EXTERIEURE. VENTILATEUR HELICIODALE. REGULATION CIATr+c		PAGINA PAGE	TENSION VOLTAGE
SUSTITUYE A: REPLACE: TAKE:		06C0200C3-01	SUSTITUIDO POR: REPLACÉ PAR: TAKE BY:		-				NF:		AIR TO AIR HEAT PUMP SPLIT-SYSTEM. OUTDOOR UNIT HELICOIDAL FAN. CIATr+c CONTROL		24/24	400/3/50